






RSILOU original connector fast charging cable

VS


Common iPhone fast charging cable on the market





- ✓ Applying white silicone serves to fix components and assist in heat dissipation in electronic devices
- ✓ Charger with smart temp & current recognition, ensures safe fast charging for all phones

RSILOU 3C charger uses same suppliers as iPhone, Huawei, OV for components



Fixed-current charger can damage phones by not adjusting to optimal charge




No silicone, components loosen, poor heat dissipation



RSILOU

VS

OTHER



RSILOU

VS

OTHER



Battery
Iron shell button battery Ultra-Long Playtime, more safe, long life



Plastic shell
Fire-resistant PC+ABS plastic material, safe&durable



Speaker
Big size double-layer diaphragm drivers, Hi-Fi Sound Quality & Powerful Bass



Case battery
High quality lithium-ion batteries, more play time



Charging case controller
Multiple protection, Ensure your safety

Speaker
Smaller speaker driver



Case battery
Ordinary battery, Support for a short usage time



Charging case controller
Ordinary components have a high failure rate



Battery
Small Lithium Ion Battery, danger.



Plastic shell
Ordinary plastic shell, easy to age, discolor, and catch fire



POWER BANK

POWER BANK
CHARGING CABLES
CHARGER
WIRELESS EARPHONE
WIRED HEADSET
VEHICLE SUPPLIES
PROTECTIVE CASE
SCREEN PROTECTOR

FULL RANGE OF 3C DIGITAL ACCESSORIES

10000 mAh

Coming Soon!



R1003

POWER BANK WITH LED DISPLAY

Battery Capacity: 10000mAh (37Wh)

TYPE-C Input: 5V=2A USB-A1 Output: 5V=2A USB-A2 Output: 5V=2A Total Output: 5V=2A

20000 mAh

Coming Soon!



R1004

POWER BANK WITH LED DISPLAY

Battery Capacity: 20000mAh (74Wh)

TYPE-C Input: 5V=2A USB-A1 Output: 5V=2A USB-A2 Output: 5V=2A Total Output: 5V=2A

POWER BANK 

\$ 15.98



10000 mAh

FAST CHARGING

MINI ULTRA-THIN POWER BANK
WITH FAST CHARGING & LED DISPLAY

R1005

Battery Capacity: 10000mAh (38.5Wh) TYPE-C Input: 5V=3A 9V=2A 12V=1.5A

MICRO Input: 5V=2A 9V=2A 12V=1.5A LIGHTNING Input: 5V=2A 9V=2A 12V=1.5A

TYPE-C Output: 5V=3A 9V=2.22A 12V=1.67A USB-A Output: 5V=3A 5V=4.5A 9V=2A 12V=1.5A

Total Output: 5V=3A



\$ 23.96

20000 mAh

FAST CHARGING

**POWER BANK
WITH FAST CHARGING & LED DISPLAY**

R1009

Battery Capacity: 20000mAh (77Wh) TYPE-C Input: 5V=3A 9V=2A 12V=1.5A
MICRO Input: 5V=2A 9V=2A 12V=1.5A LIGHTNING Input: 5V=2A 9V=2A 12V=1.5A
TYPE-C Output: 5V=3A 9V=2.22A 12V=1.67A USB-A Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A
Total Output: 5V=3A



Coming Soon!

30000 mAh

FAST CHARGING

**POWER BANK
WITH FAST CHARGING & LED DISPLAY**

R1010

Battery Capacity: 30000mAh (115.5Wh) TYPE-C Input: 5V=3A 9V=2A MICRO Input: 5V=2A 9V=2A
LIGHTNING Input: 5V=2A 9V=2A TYPE-C Output: 5V=3A 9V=2.22A 12V=1.67A
USB-A1/UAB-A2 Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A
UAB-A3 Output: 4.5V=5A 5V=4.5A 9V=2A 12V=1.5A Total Output: 5V=3A

 POWER BANK



POWER BANK 



Coming Soon!

5000mAh

MAGNETIC WIRELESS CHARGING



CAMERA GRIP POWER BANK
WHIT MAGNETIC WIRELESS CHARGING

R1015

Battery Capacity: 5000mAh (18.25Wh) TYPE-C Input: 5V \approx 2.4A TYPE-C Output: 5V \approx 2.4A
Wireless Charging: 5W Total Output: 5V \approx 2.4A



POWER BANK

POWER BANK



\$ 19.61

10000 mAh

FAST CHARGING

MAGNETIC WIRELESS

USB-C PORT WITH FAST CHARGING
MAGNETIC WIRELESS CHARGING POWER BANK

R1020

Battery Capacity: 10000mAh (38.5Wh) TYPE-C Input: 5V=3A 9V=2A
TYPE-C Output: 5V=3A 9V=2.22A 12V=1.67A Wireless Charging: 5W/7.5W/10W/15W
Total Output: 5V=3A



Coming Soon!

BUILT-IN CABLE

FAST CHARGING

10000 mAh

R1021

BUILT-IN USB-C & LIGHTNING CABLE
FAST CHARGING LED DIGITAL DISPLAY POWER BANK

Battery Capacity: 10000mAh (38.5Wh) TYPE-C Input: 5V=3A 9V=2A 12V=1.5A
TYPE-C Output: 5V=3A 9V=2.22A 12V=1.67A LIGHTNING Cable Output: 5V=2.4A 9V=2.22A 12V=1.67A
TYPE-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A Total Output: 5V=3A

 POWER BANK

POWER BANK 



\$ 27.53

10000 mAh


FAST CHARGING

MAGNETIC WIRELESS

**USB-C PORT WITH FAST CHARGING
MAGNETIC WIRELESS CHARGING POWER BANK**

R1024

Battery Capacity: 10000mAh (38.5Wh) TYPE-C Input: 5V=3A 9V=2A
TYPE-C Output: 5V=3A 9V=2.22A 12V=1.67A 20W (Max) Wireless Charging: 5W/7.5W/10W/15W
Total Output: 5V=3A (Max 15W)



CHARGING CABLES

POWER BANK
CHARGING CABLES
CHARGER
WIRELESS EARPHONE
WIRED HEADSET
VEHICLE SUPPLIES
PROTECTIVE CASE
SCREEN PROTECTOR

FULL RANGE OF 3C DIGITAL ACCESSORIES



3A LENGTH **100CM**

\$ 1.97

R2001

USB-A TO LIGHTNING CHARGING DATA CABLE

Material: Tin Plated Copper+TPE Power: 15W Max Transmission Rate: 480Mbps



3A LENGTH **100CM**

\$ 1.97

R2003

USB-A TO TYPE-C CHARGING DATA CABLE

Material: Tin Plated Copper+TPE Power: 18W Max Transmission Rate: 480Mbps



120W LENGTH **100CM**

\$ 4.76

R2009

USB-A TO TYPE-C FAST CHARGING DATA CABLE

Material: Tin Plated Copper+TPE Power: 120W Max Transmission Rate: 480Mbps



120W LENGTH **120CM**

\$ 5.61

TYPE-C
120W MAX

R2017

**3IN1 USB-A TO TYPE-C&LIGHTNING&MICRO
FAST CHARGING DATA CABLE**

Material: Tin Plated Copper+TPE Power: 120W Max
Transmission Rate: 480Mbps (Type-C cable only)



CAR CHARGER

POWER BANK
CHARGING CABLES
CHARGER
WIRELESS EARPHONE
WIRED HEADSET
VEHICLE SUPPLIES
PROTECTIVE CASE
SCREEN PROTECTOR

FULL RANGE OF 3C DIGITAL ACCESSORIES

2.4A

Coming Soon!

R4501

2 USB-A IN 1 CAR CHARGER

Input: DC 12V-24V (3A Max) USB-A1/A2 Output: 5V \Rightarrow 2.4A Total Output: 5V \Rightarrow 2.4A



20W

USB-A	TYPE-C
18W ^{MAX}	20W ^{MAX}

\$ 5.40



R4505

USB-A & TYPE-C 2 IN 1 CAR CHARGER

Input: DC 12V-24V (5A Max) USB-A output: 5V \Rightarrow 3A 9V \Rightarrow 2A 12V \Rightarrow 1.5A (18W Max)
USB-C output: 5V \Rightarrow 3A 9V \Rightarrow 2.22A 12V \Rightarrow 1.5A (20W Max) USB-A+USB-C output: Total 20W (Max)

3.6A

Coming Soon!

R4503

2 USB-A IN 1 CAR CHARGER

Input: DC 12V-24V (3A Max) USB-A1/A2 Output: 5V \Rightarrow 3.6A Total Output: 5V \Rightarrow 3.6A



42.5W

USB-A	TYPE-C
22.5W ^{MAX}	20W ^{MAX}

Coming Soon!

R4504

USB-A & TYPE-C 2 IN 1 CAR CHARGER

Input: DC 12V-24V (6A Max) USB-A Output: 5V \Rightarrow 4.5A 9V \Rightarrow 2A 10V \Rightarrow 2.25A 12V \Rightarrow 1.5A (22.5W Max)
USB-C Output: 5V \Rightarrow 2.4A 9V \Rightarrow 2.22A 12V \Rightarrow 1.67A (20W Max) Total Output: 42.5W (Max)



42.5W

USB-A	TYPE-C
22.5W ^{MAX}	20W ^{MAX}


Coming Soon!

R4506

USB-A & TYPE-C 2 IN 1 CAR CHARGER

Input: DC 12V-24V (6A Max) USB-A Output: 5V \Rightarrow 4.5A 9V \Rightarrow 2A 10V \Rightarrow 2.25A 12V \Rightarrow 1.5A (22.5W Max)
USB-C Output: 5V \Rightarrow 2.4A 9V \Rightarrow 2.22A 12V \Rightarrow 1.67A (20W Max) Total Output: 42.5W (Max)





CAR HODLER

POWER BANK
CHARGING CABLES
CHARGER
WIRELESS EARPHONE
WIRED HEADSET
VEHICLE SUPPLIES
PROTECTIVE CASE
SCREEN PROTECTOR

FULL RANGE OF 3C DIGITAL ACCESSORIES



MINI

GRAVITY LINK
TRIANGULAR STABILITY



SPHERICAL SLIDER
ROTATE FREELY



\$ 6.46

R4515

CAR AIR VENT MINI GRAVITY HOLDER

Material: PC + ABS Size: 66-88mm Color: Black



STABLE UPGRADE



SCREWED METAL
HOOK CLAMPS



SPHERICAL SLIDER
ROTATE FREELY


Coming Soon!



R4516

CAR AIR VENT HOLDER

Material: ABS + Metal Color: Black



WIRELESS EARPHONE

POWER BANK
CHARGING CABLES
CHARGER
WIRELESS EARPHONE
WIRED HEADSET
VEHICLE SUPPLIES
PROTECTIVE CASE
SCREEN PROTECTOR

FULL RANGE OF 3C DIGITAL ACCESSORIES

6.5 HOURS

LONG-LASTING PLAYBACK

13 MM

OVERSIZED DRIVER

POWERED BY STEEL SHELL
LITHIUM-ION BATTERY



\$ 11.96



R3006

TRUE WIRELESS STEREO EARPHONE

Input: 5V = 200mA Battery Capacity: 35mAh x 2 (earbuds); 250mAh (charging case) Charging Time: Up to 2 hours (charging case)
Playtime: (varies by volume level and content) Up to 6.5 Hours (up to 22 hours with the charging case)
Driver Unit: 13mm Frequency Response: 20Hz - 20kHz Impedance: 32Ω Bluetooth Version: 5.1 Bluetooth Range: 10m / 33ft

POWERED BY STEEL SHELL
LITHIUM-ION BATTERY



13 MM

OVERSIZED DRIVER

7.5 HOURS

LONG-LASTING PLAYBACK



Coming Soon!

R3007

TRUE WIRELESS STEREO EARPHONE

Input: 5V = 250mA Battery Capacity: 40mAh x 2 (earbuds); 300mAh (charging case) Charging Time: Up to 2 hours (charging case)
Playtime: (varies by volume level and content) Up to 7.5 Hours (up to 26 hours with the charging case)
Driver Unit: 13mm Frequency Response: 20Hz - 20kHz Impedance: 32Ω Bluetooth Version: 5.1 Bluetooth Range: 10m / 33ft

WIRELESS EARPHONE



 POWERED BY STEEL SHELL
LITHIUM-ION BATTERY

13 MM
OVERSIZED DRIVER

8 HOURS
LONG-LASTING PLAYBACK

\$ 11.96



R3019

TRUE WIRELESS STEREO EARPHONE

Input: 5V = 220mA Battery Capacity: 40mAh x 2 (earbuds); 300mAh (charging case) Charging Time: Up to 2 hours (charging case)
Playtime: (varies by volume level and content) Up to 8 Hours (up to 27 hours with the charging case)

Driver Unit: 13mm Frequency Response: 20Hz - 20kHz Impedance: 32Ω Bluetooth Version: 5.3 Bluetooth Range: 10m / 33ft

6.5 HOURS

LONG-LASTING PLAYBACK

13 MM

OVERSIZED DRIVER



\$ 14.00



R3023

TRUE WIRELESS STEREO EARPHONE

Input: 5V \approx 250mA Battery Capacity: 35mAh \times 2 (earbuds); 300mAh (charging case) Charging Time: Up to 2 hours (charging case)
Playtime: (varies by volume level and content) Up to 5.5 Hours (up to 20 hours with the charging case)
Driver Unit: 13mm Frequency Response: 20Hz - 20kHz Impedance: 32 Ω Bluetooth Version: 5.1 Bluetooth Range: 10m / 33ft

8.5 HOURS

LONG-LASTING PLAYBACK

10 MM

OVERSIZED DRIVER



Coming Soon!

R3025

TRUE WIRELESS STEREO EARPHONE

Input: 5V \approx 350mA Battery Capacity: 45mAh \times 2 (earbuds); 250mAh (charging case) Charging Time: Up to 2 hours (charging case)
Playtime: (varies by volume level and content) Up to 8.5 Hours (up to 20 hours with the charging case)
Driver Unit: 10mm Frequency Response: 20Hz - 20kHz Impedance: 32 Ω Bluetooth Version: 5.3 Bluetooth Range: 10m / 33ft



5.5 HOURS

LONG-LASTING PLAYBACK

13 MM

OVERSIZED DRIVER



Coming Soon!

R3024

TRUE WIRELESS STEREO EARPHONE

Input: 5V \approx 350mA Battery Capacity: 35mAh \times 2 (earbuds); 300mAh (charging case) Charging Time: Up to 2 hours
Playtime: (varies by volume level and content) Up to 5.5 Hours (up to 22 hours with the charging case)
Driver Unit: 13mm Frequency Response: 20Hz - 20kHz Impedance: 32 Ω Bluetooth Version: 5.1 Bluetooth Range: 10m / 33ft



6 HOURS

LONG-LASTING PLAYBACK

13 MM

OVERSIZED DRIVER



Coming Soon!

R3026

TRUE WIRELESS STEREO EARPHONE

Input: 5V \approx 250mA Battery Capacity: 35mAh \times 2 (earbuds); 300mAh (charging case) Charging Time: Up to 2 hours
Playtime: (varies by volume level and content) Up to 6 Hours (up to 24 hours with the charging case)
Driver Unit: 13mm Frequency Response: 20Hz - 20kHz Impedance: 32 Ω Bluetooth Version: 5.3 Bluetooth Range: 10m / 33ft





WIRELESS EARPHONE



4.5 HOURS

LONG-LASTING PLAYBACK

GAME/MUSIC

DUAL MODEL

10MM

OVERSIZED DRIVER



\$ 20.05



R3021

OWS OPEN-EAR HEADPHONES

Input: 3.7V \approx 300mA Battery Capacity: 40mAh \times 2 (earbuds); 250mAh (charging case) Charging Time: Up to 2 hours
Playtime: (varies by volume level and content) Up to 4.5 Hours (up to 16 hours with the charging case)
Driver Unit: 10mm Frequency Response: 20Hz - 20kHz Impedance: 16 Ω Bluetooth Version: 5.4 Bluetooth Range: 10m / 33ft

7.5 HOURS

LONG-LASTING PLAYBACK

14.2 MM

OVERSIZED DRIVER

DUAL MIC ENC

NOISE CANCELLING FOR CALL

GAME/MUSIC

DUAL MODEL



\$ 19.71



R3022

OVS OPEN-EAR HEADPHONES

Input: 5V \approx 350mA Battery Capacity: 50mAh \times 2 (earbuds); 400mAh (charging case) Charging Time: Up to 2 hours
Playtime: (varies by volume level and content) Up to 7.5 Hours (up to 24 hours with the charging case)
Driver Unit: 14.2mm Frequency Response: 20Hz - 20kHz Impedance: 32 Ω Bluetooth Version: 5.4 Bluetooth Range: 10m / 33ft

40 HOURS

LONG-LASTING PLAYBACK

ONE-KEY SWITCH
OF TRIPLE MODE

ONE-KEY SWITCH
OF TRIPLE MODE

MAGNETIC DESIGN



Coming Soon!

R3013

NECK-MOUNTED WIRELESS BLUETOOTH HEADSET

Product Type: Neck-mounted Wireless Bluetooth Headset Control mode: Button operation Bluetooth version: Bluetooth V5.3
Effective distance: 10M Headphone battery capacity: 3.7V/250mAh Headphone playback time: \leq 40 hours (80% volume)
Headphone talk time: \leq 40 hours (80% volume) Headphone charging time: \leq 2 hours Headphone charging standard: TYPE-C DC5V \approx 1000mA
Headphone standby time: \geq 250H Speaker size: ϕ 14.2mm, 32 Ω Headphone language: English
Incoming call: broadcast number when incoming call Support Bluetooth protocol: A2DP, AVRCP, HSP, HFP, EDR

40 HOURS

LONG-LASTING PLAYBACK

ONE-KEY SWITCH
OF TRIPLE MODE

ONE-KEY SWITCH
OF TRIPLE MODE

MAGNETIC DESIGN



Coming Soon!

R3017

NECK-MOUNTED WIRELESS BLUETOOTH HEADSET

Control mode: Button operation Bluetooth version: Bluetooth V5.3 Effective distance: 10M Headphone battery capacity: 3.7V/250mAh
Headphone playback time: \leq 40 hours (80% volume) Headphone talk time: \leq 40 hours (80% volume) Headphone charging time: \leq 2 hours
Headphone charging standard: TYPE-C DC 5V \approx 1000mA Headphone standby time: \geq 250H Speaker size: ϕ 13mm, 32 Ω
Headphone language: English Support Bluetooth protocol: A2DP, AVRCP, HSP, HFP, SPP



WIRED HEADSET

POWER BANK
CHARGING CABLES
CHARGER
WIRELESS EARPHONE
WIRED HEADSET
VEHICLE SUPPLIES
PROTECTIVE CASE
SCREEN PROTECTOR

FULL RANGE OF 3C DIGITAL ACCESSORIES

10 MM

OVERSIZED DRIVER

HIGH FIDELITY

DSP COMPATIBLE WITH
MULTIPLE DEVICES

\$ 5.61



R3501

WIRED EARPHONES

Frequency Range: 20Hz-20KHz Impedance: 32 Ω ±15% Speaker Diameter: Φ 10mm
Sensitivity: 101±3dB Maximum Power Input: 5mw Plug: TYPE-C Length of cable: 1.2m±10%
Microphone Sensitivity: -42db±3db Microphone Size: Φ 4*1.5mm

14.2 MM

OVERSIZED DRIVER

HIGH FIDELITY

DSP COMPATIBLE WITH
MULTIPLE DEVICES

\$ 5.61



R3508

WIRED EARPHONES

Frequency Range: 20Hz-20KHz Impedance: 32 Ω ±10% Speaker Diameter: Φ 14.2mm
Sensitivity: 102±3dB Maximum Power Input: 10mw Plug Type: Type-C
Length of cable: 1.2m±10% Microphone Sensitivity: -42db±3db Microphone Size: Φ 4*1.5mm

10 MM

OVERSIZED DRIVER

HIGH FIDELITY



Coming Soon!

R3502

WIRED EARPHONES

Frequency Range: 20Hz-20KHz Impedance: 32 Ω ±15% Speaker Diameter: Φ 10mm
Sensitivity: 101±3dB Maximum Power Input: 5mw Plug: Φ 3.5mm
Length of cable: 1.2m±10% Microphone Sensitivity: -42db±3db Microphone Size: Φ 4*1.5mm

14.2 MM

OVERSIZED DRIVER

HIGH FIDELITY




Coming Soon!

R3005

WIRED EARPHONES

Frequency Range: 20Hz-20KHz Impedance: 32 Ω ±10% Speaker Diameter: Φ 14.2mm
Sensitivity: 102±3dB Maximum Power Input: 10mw Plug Type: Type-C
Length of cable: 1.2m±10% Microphone Sensitivity: -42db±3db Microphone Size: Φ 4*1.5mm



TEMPERED GLASS

POWER BANK
CHARGING CABLES
CHARGER
WIRELESS EARPHONE
WIRED HEADSET
VEHICLE SUPPLIES
PROTECTIVE CASE
SCREEN PROTECTOR

FULL RANGE OF 3C DIGITAL ACCESSORIES

HIGH DEFINITION

\$ 4.10



R6115 iPhone 16 Pro Max
HIGH DEFINITION TEMPERED GLASS

5PCS

ANTI-PEEKING

\$ 9.20



R6225 iPhone 16 Pro Max
ANTI-PEEKING TEMPERED GLASS

5PCS

033 LEVEL 5A

Coming Soon!



R6115
DUST-PROOF ANTI-STATIC
HIGH DEFINITION TEMPERED GLASS

3PCS

